

Stocklist March 15, 2026. Used industrial machinery



DECKEL MAHO DMU 200 P (CNC0685)

Categories: 5-axis-milling machines, Milling machines

Year: 2001

Location: Spain

X-axis travel mm: 1800

Y-axis travel mm: 2000

Z-axis travel mm: 1100

C-axis degrees: 360° (0,001)

B-axis degrees: -7/+187°

Feed rates m/min: 60/40/40

Rapid traverse m/min: 60/40/40



DECKEL MAHO DMU 160 P duoBLOCK (CNC0684)

Categories: 5-axis-milling machines

Year: 2006

Location: Spain

X-axis travel mm: 1600

Y-axis travel mm: 1250

Z-axis travel mm: 1000

C-axis degrees: 360° (0,001)

B-axis degrees: 0-190°

Feed rates m/min: 60

Rapid traverse m/min: 60



DECKEL MAHO DMF 250 Linear (CNC0681)

Categories: Vertical milling machines

Year: 2004

Location: Germany

X-axis travel mm: 2500

Y-axis travel mm: 920

Z-axis travel mm: 820

MORI SEIKI NLX2500SY/700 (LAT0357)

Categories: CNC Lathes

Year: 2017

Location: Germany

Y-axis travel mm: ± 50

Turning length mm: 705

Max. turning diameter mm: $\varnothing 356$

Swing over bed mm: $\varnothing 920$

Swing over cross-slide mm: 742

Bar work capacity mm: 80



DECKEL MAHO DMU 50 eVo linear (CNC0683)

Categories: 5-axis-milling machines

Year: 2010

Location: Italy

X-axis travel mm: 500

Y-axis travel mm: 450

Z-axis travel mm: 400

C-axis degrees: 360° (0,001)

B-axis degrees: $0^{\circ}/108^{\circ}$ (0,001)

Feed rates m/min: 80/50/50



DMG MORI DMU 40 eVo (CNC0682)

Categories: 5-axis-milling machines

Year: 2012

Location: Italy

X-axis travel mm: 400

Y-axis travel mm: 400

Z-axis travel mm: 375

C-axis degrees: 360° (0,001)

B-axis degrees: $-5 / +110^{\circ}$

Distance spindle nose - table surface mm: 125-500

Feed rates m/min: 50

Rapid traverse m/min: 80



REIDEN RS 15 (CNC0645)

Categories: Vertical milling machines

Year: 2009

Location: Germany

X-axis travel mm: 1500

Y-axis travel mm: 800

Z-axis travel mm: 1000

C-axis degrees: 360° (0,001°)

A-axis degrees: 0°/-90°

B-axis degrees: ±90(0.001°)

Rapid traverse m/min: 30



NAKAMURA SC-250 (LAT0341)

Categories: CNC Lathes

Year: 2006

Location: Germany

X-axis travel mm: 177,5

Y-axis travel mm: ± 41

Z-axis travel mm: 550

B-axis travel mm: 689

C-axis: 360° (0,001°)

Turning length mm: 500

Max. turning diameter mm: ø: 190

Distance between spindle centers mm: 780

Bar work capacity mm: 51



DECKEL MAHO DMU 100 T (CNC0672)

Categories: Vertical milling machines

Year: 2004

Location: Germany

X-axis travel mm: 1050

Y-axis travel mm: 710

Z-axis travel mm: 710

B-axis degrees: 103°

Feed rates m/min: 30

Rapid traverse m/min: 30



DMG MORI NVX 5080/50 (CNC0673)

Categories: Vertical milling machines

Year: 2015

Location: Spain

X-axis travel mm: 800

Y-axis travel mm: 530

Z-axis travel mm: 510

Distance spindle nose - table surface mm: 150-660

Feed rates m/min: 5

Rapid traverse m/min: 30



DECKEL MAHO HSC 55 linear + system 3R (CNC0671)

Categories: Vertical milling machines

Year: 2013

Location: Germany

X-axis travel mm: 450

Y-axis travel mm: 580

Z-axis travel mm: 400

C-axis degrees: 360° (0,0001)

A-axis degrees: +10 / -110°

Feed rates m/min: 80

Rapid traverse m/min: 80

Acceleration in the axes m/s²: 13



DECKEL MAHO DMU 125 P hi-dyn (CNC0659)

Categories: Vertical milling machines

Year: 2000

Location: Germany

X-axis travel mm: 1250

Y-axis travel mm: 880

Z-axis travel mm: 800

C-axis degrees: 360° (0,001)

Feed rates m/min: 40

Rapid traverse m/min: 40



DECKEL MAHO DMC 60 FD duoBLOCK (CNC0667)

Categories: Vertical milling machines

Year: 2012

Location: Germany

X-axis travel mm: 600

Y-axis travel mm: 700

Z-axis travel mm: 600

C-axis degrees: 360° (0,001)

B-axis degrees: -30°/180° (0,001)

Feed rates m/min: 60

Rapid traverse m/min: 60

Acceleration in the axes m/s²: 6/6/5



DMG SAUER HSC20 linear (CNC0332)

Categories: Milling machines

Year: 2009

Location: Germany

- X-axis travel mm: 200
- Y-axis travel mm: 220
- Z-axis travel mm: 280
- C-axis degrees: 360°
- A-axis degrees: -15° max. 130°



AWEA AF 1250 (CNC0658)

Categories: Vertical milling machines

Year: 2012

Location: Germany

X-axis travel mm: 1.250

Y-axis travel mm: 620

Z-axis travel mm: 620

C-axis degrees: 360° (0,001°)

B-axis degrees: ±115 (0,001°)



GILDEMEISTER CTV 250 (LAT0339)

Categories: CNC Lathes, Lathes

Year: 2009

Location: Germany

X-axis travel mm: 725

Y-axis travel mm: ± 50

Z-axis travel mm: 300

Turning length mm: 160

Max. turning diameter mm: \varnothing : 250

Swing over bed mm: \varnothing : 320



DMG MORI CTX beta 800 TC (LAT0340)

Categories: 5-axis-milling machines

Year: 2015

Location: Spain

X-axis travel mm: 480 (-10)

Y-axis travel mm: ± 100

Z-axis travel mm: 845

B-axis travel mm: $\pm 110^\circ$ (0,001 $^\circ$)

C-axis: 360 $^\circ$ (0,001 $^\circ$)

Turning length mm: 800

Max. turning diameter mm: \varnothing : 500

Distance between spindle centers mm: 1.020



MORI SEIKI NL1500 SMC/500 (LAT0310)

Categories: CNC Lathes, Lathes

Year: 2006

Location: Spain

X-axis travel mm: 260

Z-axis travel mm: 590

B-axis travel mm: 624

Turning length mm: 515

Max. turning diameter mm: \varnothing : 366

Swing over bed mm: \varnothing : 923.8

Swing over cross-slide mm: 755

Bar work capacity mm: 52



DECKEL MAHO DMU 50 (CNC0648)

Categories: 5-axis-milling machines

Year: 2012

Location: Germany

CNC controller: Heidenhain ITCN 530 ERGOline,

X-axis travel mm: 500

Y-axis travel mm: 450

Z-axis travel mm: 400

Spindle speed rpm: 18.000

Tool holder: SK 40

Under power: 18.648



SORALUCE A-60 (MIL0042)

Categories: Lathes and milling machines

Year: 1991

Location: Germany

CNC controller: Siemens Sinumerik 3.8
Axes

X-axis travel mm: 6.000

Y-axis travel mm: 1.600

Z-axis travel mm: 1.000

B-axis degrees: Automatic head at 2,5°

Feed rates m/min: 37

Rapid traverse m/min: 8



BRIDGEPORT GX 800 (CNC0580)

Categories: Vertical milling machines

Year: 2008

Location: Italy

CNC controller: FANUC Series 18i-MB
Axes

X-axis travel mm: 800

Y-axis travel mm: 540

Z-axis travel mm: 540

Distance spindle nose - table surface mm: 45 - 685



MORI SEIKI NH 4000 DCG (CNC0644)

Categories: Horizontal milling machines

Year: 2004

Location: Germany

X-axis travel mm: 560

Y-axis travel mm: 560

Z-axis travel mm: 630

Rapid traverse m/min: 50

Rotary Worktable (4th axis): FULL 4TH AXIS ROTARY TABLE



DMG MORI NLX 2500 SY 700 (LAT0331)

Categories: CNC Lathes

Year: 2018

Location: Germany

Magazine places: 20

Robot automation:

sujection - diameter 40 to 220mm x (H) 20mm; Weight 5,6 KG

Robot pallet storage with 10 slots

Cutting Time: 7.494



DECKEL MAHO DMC 65H duoBLOCK (CNC0620)

Categories: Horizontal milling machines

Year: 2008

Location: Germany



HERMLE UWF 902 H (CNC0624)

Categories: Vertical milling machines

Year: 1997

Location: Germany

CNC controller: HEIDENHAIN TNC 430

Spindle speed rpm: 6.300

Table dimensions mm: 800 x 465

Tool holder: SK 40



MAKINO S33 A200 (CNC0554)

Categories: Milling machines, Vertical milling machines

Year: 2002

Location: Italy

- Axes travels X: 650; Y: 500 ; Z: 450 mm
 - 800x450 mm worktable dimensions
 - 13.000 rpm spindle
 - ISO 40x20 magazine pockets
-



MORI SEIKI NT 3200DCG /1000SZ (LAT0313)

Categories: Lathes, Lathes and milling machines

Year: 2010

Location: Germany

- Axes travels X : 685; Y: 125; Z: 1075 mm.
- Ø600 mm max. turning diameter and 1045 mm turning length.
- 12000 rpm turn-mill spindle with B-axis degree 120°.
- 5000 rpm main and counter spindle.
- CAPTO C5x80 tool magazine.



MORI SEIKI NH 5000/40 DCG (CNC0609)

Categories: Horizontal milling machines, Milling machines

Year: 2006

Location: Germany

- Axes travels X: 730 ; Y: 730 ; Z: 850 mm.
- 500 x 500 mm worktable dimensions and 500Kg max. workpiece weight.
- Powerful 14000 rpm spindle.
- BT-40 x 120 magazine pockets.



MORI SEIKI NT1000 (LAT0312)

Categories: Lathes, Lathes and milling machines

Year: 2010

Location: Germany

- \varnothing 370 mm max. turning diameter and 424mm length.
- 12.000 rpm turn-mill spindle (1^o index).
- 38x Capto C5 tool holder.
- 10 positions lower turret.
- Powerful 6.000rpm main and 1.000rpm counter spindle.



MORI SEIKI NL 2000 MC/500 (LAT0274)

Categories: CNC Lathes, Lathes

Year: 2005

Location: Spain

- Axes travels X: 260; Z: 590 mm.
- \varnothing 356 mm max. turning diameter and 510mm length.
- Upper turret with 12 tool holders.
- 5000 rpm main spindle.



MORI SEIKI NTX1000SZ (LAT0286)

Categories: Lathes, Lathes and milling machines

Year: 2010

Location: Germany

- Ø430 mm max. turning diameter and 800mm turning length.
- 12000 rpm turn-mill spindle (B-axis: ±120).
- 76xCapto C5 tool magazine.
- 10 positions lower turret.
- Powerful 6000 main and counter spindle.



DECKEL MAHO DMC 80 FD duoBLOCK (MIL0027)

Categories: 5-axis-milling machines, Milling machines

Year: 2009

Location: Germany

- Axes travel: X: 800mm; Y: 800mm; Z: 800mm.
- C-axis 360° (0.001) and B-axis 0-190° degrees.
- Ø800x630mm milling/turning table and 1.000kg maximum workpiece weight.
- Powerful 10.000 rpm spindle with 40bar through spindle.
- Tooling system 180xHSK-A100.



MAKINO S33 5XA (CNC0555)

Categories: 5-axis-milling machines, Milling machines

Year: 2005

Location: Italy

- Axes travels X: 650; Y: 500 ; Z: 450 mm.
- 1000x450 mm worktable dimensions.
- 12.000 rpm spindle.
- 20x ISO 40 magazine pockets.



MATSUURA MC800 VG (CNC0556)

Categories: Milling machines, Vertical milling machines

Year: 1998

Location: Italy

- Axes travels X: 800; Y: 400 ; Z: 400 mm.
- 800x400 mm worktable dimensions.
- 10.000 rpm spindle.
- 20x BT-40 magazine pockets.



MORI SEIKI NHX4000 (CNC0402)

Categories: Horizontal milling machines, Milling machines

Year: 2011

Location: Spain

- Recorridos ejes X: 560 ; Y: 560 ; Z: 660 mm.
- Dimensiones de mesa de trabajo 400x400 mm y 2x APC.
- Husillo de 12.000 rpm.



BROTHER TC-325 (CNC0517)

Categories: Milling machines, Vertical milling machines

Year: 1997

Location: Germany



BROTHER TC-32A (CNC0516)

Categories: Milling machines, Vertical milling machines

Year: 2000

Location: Germany



TONGTAI HB-630II (CNC0463)

Categories: Horizontal milling machines, Milling machines

Year: 2014

Location: Germany

- Axes travels X: 1.050 ; Y: 850 ; Z: 970 mm.
- B-axis degrees: 0,001°.
- 630x630 worktable dimensions and 0,001° index.
- 10.000 rpm spindle.
- 90x HSK-A100 magazine pockets.



MAKINO D500 (CNC0246)

Categories: 5-axis-milling machines, Milling machines

Year: 2011

Location: Italy

- Axes travels X: 550 ; Y: 1000 ; Z: 500 mm.
- Ø500 mm swiveling table (+30° -120° tilting degrees).
- 20.000 rpm spindle.
- 323x HSK-A63 magazine pockets.