

Stocklist April 23, 2026

Used industrial machinery

AWEA AF 1250 (CNC0689)

Categories: Vertical milling machines

Year: 2012

Location: Germany

X-axis travel mm: 1.250

Y-axis travel mm: 620

Z-axis travel mm: 620

C-axis degrees: 360° (0,001°)

B-axis degrees: ±115 (0,001°)

MORI SEIKI NH 8000 (CNC0676)

Categories: Horizontal milling machines

Year: 2005

Location: Germany

X-axis travel mm: 1400

Y-axis travel mm: 1200

Z-axis travel mm: 1200

B-axis degrees: 360° (0,001)

Rapid traverse m/min: 50

DMG MORI NLX 2500 SY 700 (LAT0361)

Categories: CNC Lathes

Year: 2018

Location: Germany

X-axis travel mm: 260

Y-axis travel mm: ±50

Z-axis travel mm: 795

Turning length mm: 705

Max. turning diameter mm: ø: 366

Swing over bed mm: ø: 920

Swing over cross-slide mm: 740

Bar work capacity mm: 80

DECKEL MAHO DMU 200 P (CNC0685)

Categories: 5-axis-milling machines, Milling machines

Year: 2001

Location: Spain

X-axis travel mm: 1800

Y-axis travel mm: 2000

Z-axis travel mm: 1100

C-axis degrees: 360° (0,001)

B-axis degrees: -7/+187°

Feed rates m/min: 60/40/40

Rapid traverse m/min: 60/40/40

DECKEL MAHO DMU 160 P duoBLOCK (CNC0684)

Categories: 5-axis-milling machines

Year: 2006

Location: Spain

X-axis travel mm: 1600

Y-axis travel mm: 1250

Z-axis travel mm: 1000

C-axis degrees: 360° (0,001)

B-axis degrees: 0-190°

Feed rates m/min: 60

Rapid traverse m/min: 60

DECKEL MAHO DMF 250 Linear (CNC0681)

Categories: Vertical milling machines

Year: 2004

Location: Germany

X-axis travel mm: 2500

Y-axis travel mm: 920

Z-axis travel mm: 820

DECKEL MAHO DMU 50 eVo linear (CNC0683)

Categories: 5-axis-milling machines
Year: 2010
Location: Italy

X-axis travel mm: 500
Y-axis travel mm: 450
Z-axis travel mm: 400
C-axis degrees: 360° (0,001)
B-axis degrees: 0°/108° (0,001)
Feed rates m/min: 80/50/50

REIDEN RS 15 (CNC0645)

Categories: Vertical milling machines
Year: 2009
Location: Germany

X-axis travel mm: 1500
Y-axis travel mm: 800
Z-axis travel mm: 1000
C-axis degrees: 360° (0,001°)
A-axis degrees: 0°/-90°
B-axis degrees: ±90(0.001°)
Rapid traverse m/min: 30

NAKAMURA SC-250 (LAT0341)

Categories: CNC Lathes
Year: 2006
Location: Germany

MINIMUM PRICE: 30.000 EUR

X-axis travel mm: 177,5
Y-axis travel mm: ± 41
Z-axis travel mm: 550
B-axis travel mm: 689
C-axis: 360° (0,001°)
Turning length mm: 500
Max. turning diameter mm: ø: 190
Distance between spindle centers mm: 780
Bar work capacity mm: 51

DMG MORI NVX 5080/50 (CNC0673)

Categories: Vertical milling machines
Year: 2015
Location: Spain

X-axis travel mm: 800
Y-axis travel mm: 530
Z-axis travel mm: 510
Distance spindle nose - table surface mm: 150-660
Feed rates m/min: 5
Rapid traverse m/min: 30

DECKEL MAHO HSC 55 linear + system 3R (CNC0671)

Categories: Vertical milling machines
Year: 2013
Location: Germany

X-axis travel mm: 450
Y-axis travel mm: 580
Z-axis travel mm: 400
C-axis degrees: 360° (0,0001)
A-axis degrees: +10 / -110°
Feed rates m/min: 80
Rapid traverse m/min: 80
Acceleration in the axes m/s²: 13

DECKEL MAHO DMU 125 P hi-dyn (CNC0659)

Categories: Vertical milling machines
Year: 2000
Location: Germany

X-axis travel mm: 1250
Y-axis travel mm: 880
Z-axis travel mm: 800
C-axis degrees: 360° (0,001)
Feed rates m/min: 40
Rapid traverse m/min: 40

DMG SAUER HSC20 linear (CNC0332)

Categories: Milling machines

Year: 2009

Location: Germany

X-axis travel mm: 200

Y-axis travel mm: 220

Z-axis travel mm: 280

C-axis degrees: 360°

A-axis degrees: -15° max. 130°

AWEA AF 1250 (CNC0658)

Categories: Vertical milling machines

Year: 2012

Location: Germany

X-axis travel mm: 1.250

Y-axis travel mm: 620

Z-axis travel mm: 620

C-axis degrees: 360° (0,001°)

B-axis degrees: ±115 (0,001°)

Nakamura WT 150 - (LAT0343)

Categories: CNC Lathes

Year: 2008

Location: Germany

X-axis travel mm: 157,5

Y-axis travel mm: 35

Z-axis travel mm: 464.8

B-axis travel mm: 600

C-axis: 360° (0,001°)

Turning length mm: 399

Max. turning diameter mm: ø: 190

Distance between spindle centers mm: 750

Bar work capacity mm: 52

GILDEMEISTER CTV 250 (LAT0339)

Categories: CNC Lathes, Lathes

Year: 2009

Location: Germany

X-axis travel mm: 725

Y-axis travel mm: ± 50

Z-axis travel mm: 300

Turning length mm: 160

Max. turning diameter mm: ø: 250

Swing over bed mm: ø: 320

DMG MORI CTX beta 800 TC (LAT0340)

Categories: 5-axis-milling machines

Year: 2015

Location: Spain

X-axis travel mm: 480 (-10)

Y-axis travel mm: ±100

Z-axis travel mm: 845

B-axis travel mm: ±110° (0,001°)

C-axis: 360° (0,001°)

Turning length mm: 800

Max. turning diameter mm: ø: 500

Distance between spindle centers mm: 1.020

MORI SEIKI NL1500 SMC/500 (LAT0310)

Categories: CNC Lathes, Lathes

Year: 2006

Location: Spain

MINIMUM PRICE: 36.000 EUR

X-axis travel mm: 260

Z-axis travel mm: 590

B-axis travel mm: 624

Turning length mm: 515

Max. turning diameter mm: ø: 366

Swing over bed mm: ø: 923.8

Swing over cross-slide mm: 755

Bar work capacity mm: 52

SORALUCE A-60 (MIL0042)

Categories: Lathes and milling machines

Year: 1991

Location: Germany

CNC controller: Siemens Sinumerik 3.8

Axes

X-axis travel mm: 6.000

Y-axis travel mm: 1.600

Z-axis travel mm: 1.000

B-axis degrees: Automatic head at 2,5°

Feed rates m/min: 37

Rapid traverse m/min: 8

BRIDGEPORT GX 800 (CNC0580)

Categories: Vertical milling machines

Year: 2008

Location: Italy

CNC controller: FANUC Series 18i-MB

Axes

X-axis travel mm: 800

Y-axis travel mm: 540

Z-axis travel mm: 540

Distance spindle nose - table surface mm: 45 - 685

MORI SEIKI NH 4000 DCG (CNC0644)

Categories: Horizontal milling machines

Year: 2004

Location: Germany

MINIMUM PRICE: 40.000 EUR

X-axis travel mm: 560

Y-axis travel mm: 560

Z-axis travel mm: 630

Rapid traverse m/min: 50

Rotary Worktable (4th axis): FULL 4TH AXIS

ROTARY TABLE

DMG MORI NLX 2500 SY 700 (LAT0331)

Categories: CNC Lathes

Year: 2018

Location: Germany

X-axis travel mm: 260

Y-axis travel mm: ±50

Z-axis travel mm: 795

Turning length mm: 705

Max. turning diameter mm: ø: 366

Swing over bed mm: ø: 920

Swing over cross-slide mm: 740

Bar work capacity mm: 80

DECKEL MAHO DMC 65H duoBLOCK (CNC0620)

Categories: Horizontal milling machines

Year: 2008

Location: Germany

Y-axis travel mm: 700

Z-axis travel mm: 700

Distance spindle nose - table surface mm: 100 - 800

Rapid traverse m/min: 60

Acceleration in the axes m/s²: 6 / 6 / 5

MAKINO S33 A200 (CNC0554)

Categories: Milling machines, Vertical milling machines

Year: 2002

Location: Italy

X-axis travel mm: 650

Y-axis travel mm: 500

Z-axis travel mm: 450

Rapid traverse m/min: 150-600

Feed rates m/min: 40

Rapid traverse m/min: 40

MORI SEIKI NT 3200DCG /1000SZ (LAT0313)

Categories: Lathes, Lathes and milling machines
Year: 2010
Location: Germany

X-axis travel mm: 685
Y-axis travel mm: 125
Z-axis travel mm: 1075
Turning length mm: 1045
Max. turning diameter mm: \varnothing : 600
Bar work capacity mm: 65

MORI SEIKI NH 5000/40 DCG (CNC0609)

Categories: Horizontal milling machines, Milling machines
Year: 2006
Location: Germany

X-axis travel mm: 730
Y-axis travel mm: 730
Z-axis travel mm: 850
Rapid traverse m/min: 50
B-axis degrees: 360° (1°)
Distance spindle nose - table surface mm: 100 - 830
Acceleration in the axes m/s²: 9.8 (X), 10.8 (Y), 6.9 (Z)

MORI SEIKI NL 2000 MC/500 (LAT0274)

Categories: CNC Lathes, Lathes
Year: 2005
Location: Spain

X-axis travel mm: 260
Z-axis travel mm: 520
C-axis: 360° (0.001°)
Turning length mm: 515
Max. turning diameter mm: \varnothing : Ø356

MORI SEIKI NTX1000SZ (LAT0286)

Categories: Lathes, Lathes and milling machines
Year: 2010
Location: Germany

X-axis travel mm: 455
Y-axis travel mm: \pm 105
Z-axis travel mm: 800
B-axis degree: \pm 120 (0.001°)
Speed spindle rpm: 12.000
Drive power kW: 9/5.5

DECKEL MAHO DMC 80 FD duoBLOCK (MIL0027)

Categories: 5-axis-milling machines, Milling machines
Year: 2009
Location: Germany

X-axis travel mm: 800
Y-axis travel mm: 800
Z-axis travel mm: 800
C-axis degrees: 360° (0,001)
B-axis degrees: 0-190°
Feed rates m/min: 60
Rapid traverse m/min: 60

MAKINO S33 5XA (CNC0555)

Categories: 5-axis-milling machines, Milling machines
Year: 2005
Location: Italy

X-axis travel mm: 800
Y-axis travel mm: 800
Z-axis travel mm: 800
C-axis degrees: 360° (0,001)
B-axis degrees: 0-190°
Feed rates m/min: 60
Rapid traverse m/min: 60

MATSUURA MC800 VG (CNC0556)

Categories: Milling machines, Vertical milling machines

Year: 1998

Location: Italy

X-axis travel mm: 800
Y-axis travel mm: 400
Z-axis travel mm: 400
Rapid traverse m/min: 36

MORI SEIKI NHX4000 (CNC0402)

Categories: Horizontal milling machines, Milling machines

Year: 2011

Location: Spain

X-axis travel mm: 560
Y-axis travel mm: 560
Z-axis travel mm: 660
Distance spindle nose - table surface mm: 80-640
Feed rates m/min: 0-60

BROTHER TC-32A (CNC0516)

Categories: Milling machines, Vertical milling machines

Year: 2000

Location: Germany

X-axis travel mm: 450
Y-axis travel mm: 320
Z-axis travel mm: 410

TONGTAI HB-630II (CNC0463)

Categories: Horizontal milling machines, Milling machines

Year: 2014

Location: Germany

X-axis travel mm: 1.050
Y-axis travel mm: 850
Z-axis travel mm: 970
B-axis degrees: 0,001°
Distance spindle nose - table surface mm: 100-950

MAKINO D500 (CNC0246)

Categories: 5-axis-milling machines, Milling machines

Year: 2011

Location: Italy

X-axis travel mm: 550
Y-axis travel mm: 1000
Z-axis travel mm: 500
C-axis degrees: 360 (continuous rotation) / rotary encoder
A-axis degrees: 150 (+30 120°) rotary encoder
Feed rates m/min: X:32; Y,Z:40;
Rapid traverse m/min: X,A,C:48; Y,Y:50; A,C:18