


Stocklist May 14, 2026. Used industrial machinery



DECKEL MAHO DMF 200/8 (CNC0693)

Categories: 5-axis-milling machines

Year: 2022

Location: Germany

X-axis travel mm: 2000

Y-axis travel mm: 800

Z-axis travel mm: 850

C-axis degrees: 360° (0,001)

B-axis degrees: ±120

Rapid traverse m/min: 50

Acceleration in the axes m/s²: 5



MAKINO D500 (CNC0688)

Categories: 5-axis-milling machines

Year: 2016

Location: Spain

X-axis travel mm: 550

Y-axis travel mm: 1000

Z-axis travel mm: 500

C-axis degrees: 360 (continuous rotation) / rotary encoder

A-axis degrees: 150 (+30 120°) rotary encoder

Feed rates m/min: X:32; Y,Z:40

Rapid traverse m/min: X,A,C:48; Y,Y:50; A,C:18



AWEA AF 1250 (CNC0689)

Categories: Vertical milling machines

Year: 2012

Location: Germany

X-axis travel mm: 1.250

Y-axis travel mm: 620

Z-axis travel mm: 620

C-axis degrees: 360° (0,001°)

B-axis degrees: ±115 (0,001°)



MORI SEIKI NH 8000 (CNC0676)

Categories: Horizontal milling machines

Year: 2005

Location: Germany

X-axis travel mm: 1400

Y-axis travel mm: 1200

Z-axis travel mm: 1200

B-axis degrees: 360° (0,001)

Rapid traverse m/min: 50



DMG MORI NLX 2500 SY 700 (LAT0361)

Categories: CNC Lathes

Year: 2018

Location: Germany

X-axis travel mm: 260

Y-axis travel mm: ±50

Z-axis travel mm: 795

Turning length mm: 705

Max. turning diameter mm: ø: 366

Swing over bed mm: ø: 920

Swing over cross-slide mm: 740

Bar work capacity mm: 80



DECKEL MAHO DMU 200 P (CNC0685)

Categories: 5-axis-milling machines, Milling machines

Year: 2001

Location: Spain

X-axis travel mm: 1800

Y-axis travel mm: 2000

Z-axis travel mm: 1100

C-axis degrees: 360° (0,001)

B-axis degrees: -7/+187°

Feed rates m/min: 60/40/40

Rapid traverse m/min: 60/40/40



DECKEL MAHO DMU 160 P duoBLOCK (CNC0684)

Categories: 5-axis-milling machines

Year: 2006

Location: Spain

X-axis travel mm: 1600

Y-axis travel mm: 1250

Z-axis travel mm: 1000

C-axis degrees: 360° (0,001)

B-axis degrees: 0-190°

Feed rates m/min: 60

Rapid traverse m/min: 60



DECKEL MAHO DMF 250 Linear (CNC0681)

Categories: Vertical milling machines

Year: 2004

Location: Germany

X-axis travel mm: 2500

Y-axis travel mm: 920

Z-axis travel mm: 820



DECKEL MAHO DMU 50 eVo linear (CNC0683)

Categories: 5-axis-milling machines

Year: 2010

Location: Italy

X-axis travel mm: 500

Y-axis travel mm: 450

Z-axis travel mm: 400

C-axis degrees: 360° (0,001)

B-axis degrees: 0°/108° (0,001)

Feed rates m/min: 80/50/50



REIDEN RS 15 (CNC0645)

Categories: Vertical milling machines

Year: 2009

Location: Germany

X-axis travel mm: 1500

Y-axis travel mm: 800

Z-axis travel mm: 1000

C-axis degrees: 360° (0,001°)

A-axis degrees: 0°/-90°

B-axis degrees: ±90(0.001°)

Rapid traverse m/min: 30



DMG MORI NVX 5080/50 (CNC0673)

Categories: Vertical milling machines

Year: 2015

Location: Spain

X-axis travel mm: 800

Y-axis travel mm: 530

Z-axis travel mm: 510

Distance spindle nose - table surface mm: 150-660

Feed rates m/min: 5

Rapid traverse m/min: 30



DECKEL MAHO HSC 55 linear + system 3R (CNC0671)

Categories: Vertical milling machines

Year: 2013

Location: Germany

X-axis travel mm: 450

Y-axis travel mm: 580

Z-axis travel mm: 400

C-axis degrees: 360° (0,0001)

A-axis degrees: +10 / -110°

Feed rates m/min: 80

Rapid traverse m/min: 80

Acceleration in the axes m/s²: 13



DECKEL MAHO DMU 125 P hi-dyn (CNC0659)

Categories: Vertical milling machines

Year: 2000

Location: Germany

X-axis travel mm: 1250

Y-axis travel mm: 880

Z-axis travel mm: 800

C-axis degrees: 360° (0,001)

Feed rates m/min: 40

Rapid traverse m/min: 40



DMG SAUER HSC20 linear (CNC0332)

Categories: Milling machines

Year: 2009

Location: Germany

X-axis travel mm: 200

Y-axis travel mm: 220

Z-axis travel mm: 280

C-axis degrees: 360°

A-axis degrees: -15° max. 130°



AWEA AF 1250 (CNC0658)

Categories: Vertical milling machines

Year: 2012

Location: Germany

X-axis travel mm: 1.250

Y-axis travel mm: 620

Z-axis travel mm: 620

C-axis degrees: 360° (0,001°)

B-axis degrees: ±115 (0,001°)



Nakamura WT 150 - (LAT0343)

Categories: CNC Lathes

Year: 2008

Location: Germany

X-axis travel mm: 157,5

Y-axis travel mm: 35

Z-axis travel mm: 464.8

B-axis travel mm: 600

C-axis: 360° (0,001°)

Turning length mm: 399

Max. turning diameter mm: \varnothing : 190

Distance between spindle centers mm: 750

Bar work capacity mm: 52



GILDEMEISTER CTV 250 (LAT0339)

Categories: CNC Lathes, Lathes

Year: 2009

Location: Germany

X-axis travel mm: 725

Y-axis travel mm: \pm 50

Z-axis travel mm: 300

Turning length mm: 160

Max. turning diameter mm: \varnothing : 250

Swing over bed mm: \varnothing : 320



DMG MORI CTX beta 800 TC (LAT0340)

Categories: 5-axis-milling machines

Year: 2015

Location: Spain

X-axis travel mm: 480 (-10)

Y-axis travel mm: \pm 100

Z-axis travel mm: 845

B-axis travel mm: \pm 110° (0,001°)

C-axis: 360° (0,001°)

Turning length mm: 800

Max. turning diameter mm: \varnothing : 500

Distance between spindle centers mm: 1.020



MORI SEIKI NL1500 SMC/500 (LAT0310)

Categories: CNC Lathes, Lathes

Year: 2006

Location: Spain

MINIMUM PRICE: 36.000 EUR

X-axis travel mm: 260

Z-axis travel mm: 590

B-axis travel mm: 624

Turning length mm: 515

Max. turning diameter mm: \varnothing : 366

Swing over bed mm: \varnothing : 923.8

Swing over cross-slide mm: 755

Bar work capacity mm: 52



BRIDGEPORT GX 800 (CNC0580)

Categories: Vertical milling machines

Year: 2008

Location: Italy

CNC controller: FANUC Series 18i-MB

Axes

X-axis travel mm: 800

Y-axis travel mm: 540

Z-axis travel mm: 540

Distance spindle nose - table surface mm: 45 - 685



DMG MORI NLX 2500 SY 700 (LAT0331)

Categories: CNC Lathes

Year: 2018

Location: Germany

X-axis travel mm: 260

Y-axis travel mm: ± 50

Z-axis travel mm: 795

Turning length mm: 705

Max. turning diameter mm: \varnothing : 366

Swing over bed mm: \varnothing : 920

Swing over cross-slide mm: 740

Bar work capacity mm: 80



DECKEL MAHO DMC 65H duoBLOCK (CNC0620)

Categories: Horizontal milling machines

Year: 2008

Location: Germany

Y-axis travel mm: 700

Z-axis travel mm: 700

Distance spindle nose - table surface mm: 100 - 800

Rapid traverse m/min: 60

Acceleration in the axes m/s²: 6 / 6 / 5



MAKINO S33 A200 (CNC0554)

Categories: Milling machines, Vertical milling machines

Year: 2002

Location: Italy

X-axis travel mm: 650

Y-axis travel mm: 500

Z-axis travel mm: 450

Rapid traverse m/min: 150-600

Feed rates m/min: 40

Rapid traverse m/min: 40



MORI SEIKI NT 3200DCG /1000SZ (LAT0313)

Categories: Lathes, Lathes and milling machines

Year: 2010

Location: Germany

X-axis travel mm: 685

Y-axis travel mm: 125

Z-axis travel mm: 1075

Turning length mm: 1045

Max. turning diameter mm: \varnothing : 600

Bar work capacity mm: 65



MORI SEIKI NH 5000/40 DCG (CNC0609)

Categories: Horizontal milling machines, Milling machines

Year: 2006

Location: Germany

X-axis travel mm: 730

Y-axis travel mm: 730

Z-axis travel mm: 850

Rapid traverse m/min: 50

B-axis degrees: 360° (1°)

Distance spindle nose - table surface mm: 100 - 830

Acceleration in the axes m/s²: 9.8 (X), 10.8 (Y), 6.9 (Z)



MORI SEIKI NL 2000 MC/500 (LAT0274)

Categories: CNC Lathes, Lathes

Year: 2005

Location: Spain

X-axis travel mm: 260

Z-axis travel mm: 520

C-axis: 360° (0.001°)

Turning length mm: 515

Max. turning diameter mm: \varnothing : \varnothing 356



MORI SEIKI NTX1000SZ (LAT0286)

Categories: Lathes, Lathes and milling machines

Year: 2010

Location: Germany

X-axis travel mm: 455

Y-axis travel mm: \pm 105

Z-axis travel mm: 800

B-axis degree: \pm 120 (0.001°)

Speed spindle rpm: 12.000

Drive power kW: 9/5.5



**DECKEL MAHO DMC 80 FD duoBLOCK
(MIL0027)**

Categories: 5-axis-milling machines, Milling machines

Year: 2009

Location: Germany

X-axis travel mm: 800

Y-axis travel mm: 800

Z-axis travel mm: 800

C-axis degrees: 360° (0,001)

B-axis degrees: 0-190°

Feed rates m/min: 60

Rapid traverse m/min: 60



MAKINO S33 5XA (CNC0555)

Categories: 5-axis-milling machines, Milling machines

Year: 2005

Location: Italy

X-axis travel mm: 800

Y-axis travel mm: 800

Z-axis travel mm: 800

C-axis degrees: 360° (0,001)

B-axis degrees: 0-190°

Feed rates m/min: 60

Rapid traverse m/min: 60



MATSUURA MC800 VG (CNC0556)

Categories: Milling machines, Vertical milling machines

Year: 1998

Location: Italy

X-axis travel mm: 800

Y-axis travel mm: 400

Z-axis travel mm: 400

Rapid traverse m/min: 36



MORI SEIKI NHX4000 (CNC0402)

Categories: Horizontal milling machines, Milling machines

Year: 2011

Location: Spain

X-axis travel mm: 560

Y-axis travel mm: 560

Z-axis travel mm: 660

Distance spindle nose - table surface mm: 80-640

Feed rates m/min: 0-60



BROTHER TC-32A (CNC0516)

Categories: Milling machines, Vertical milling machines

Year: 2000

Location: Germany

X-axis travel mm: 450

Y-axis travel mm: 320

Z-axis travel mm: 410



TONGTAI HB-630II (CNC0463)

Categories: Horizontal milling machines, Milling machines

Year: 2014

Location: Germany

X-axis travel mm: 1.050

Y-axis travel mm: 850

Z-axis travel mm: 970

B-axis degrees: 0,001°

Distance spindle nose - table surface mm: 100-950



MAKINO D500 (CNC0246)

Categories: 5-axis-milling machines, Milling machines

Year: 2011

Location: Italy

X-axis travel mm: 550

Y-axis travel mm: 1000

Z-axis travel mm: 500

C-axis degrees: 360 (continuous rotation) / rotary encoder

A-axis degrees: 150 (+30 120°) rotary encoder

Feed rates m/min: X:32; Y,Z:40;

Rapid traverse m/min: X,A,C:48; Y,Y:50; A,C:18